

DEEPLIKE

Doors & Windows



DEEPLIKE

Foshan Deeplike Home Building Materials CO.,LTD.
www.deeplikedw.com

You'll Deeply Like

ABOUT / US

16 YEARS

OF DEDICATED CRAFTSMANSHIP

Decades of expertise, solely focused on perfecting windows and doors.

300⁺

TRUSTED PARTNERS

A growing network of over 300 distributors supported by our quality and service.

30,000⁺ sqm

ADVANCED PRODUCTION BASE

A large-scale, carrier-class facility ensuring high processing precision and short lead times.



Founded in 2009, the company is located in Shishan Town, Nanhai, Foshan, known as the aluminum capital of China. It is a modern high-tech enterprise integrating research and development, production and sales. The products cover a series of products such as medium and high-end aluminum alloy swing doors, hanging doors, sliding doors, folding doors, windows, sunlight rooms, and almost all product categories in the field of doors and windows.

The company has advanced production equipment and specialized production lines, and fully implements the operation of MES system to realize the network integrated monitoring and management of order issuance, production planning, warehousing and warehousing of finished products.


With years of dedicated management, we have been awarded the honorary titles of "China's Famous Brand", "Recommended Products for Engineering Construction", "Advanced Unit of Quality and Technology", "Excellent Unit of Service Quality and Integrity", "Guangdong Top Ten Excellent Aluminum Door Brands", and won the honorary title of "China's Top Ten Door and Window Brands" in the selection of China's Top Ten Brand Brands. A series of honors reflect the company's widely praised quality. A door and window is not only a bridge to communicate with the outside world, but also a guarantee of a peaceful living environment. Provide thousands of families with environmentally friendly, comfortable and high-quality home life experience.

QUALIFICATION CERTIFICATE

INTERNATIONALLY RECOGNIZED CERTIFICATES

Certification standards are only the minimum requirements for Deeplike products. We are always committed to becoming the world's leading Door and Window Company.





SIX MAJOR PERFORMANCE ADVANTAGES



Water Tightness

Independent drainage cavity design ensures smooth drainage even in severe weather, withstanding strong winds and heavy rain.



Thermal Insulation

The PA66 thermal break strip with multi-cavity structure is used to lock the temperature within the profile, effectively blocking the transfer of high outdoor temperatures.



Sound Insulation

The product features tempered hollow glass, which can be filled with inert gas to effectively reduce noise by over 40dB.



Wind Pressure Resistance

The combination of high hardness aluminum and automotive grade tempered glass creates a performance king with wind pressure resistance of level 9.



Air Tightness

The unique airtight design can block PM2.5 and various pollutants outdoors.



Security

Made of 304 stainless steel diamond mesh, it has strong impact resistance, anti-theft and mosquito proof properties.

PRODUCT CATALOG

INWARD OPENING WINDOW SERIES

Z86 INWARD OPENING WINDOW SERIES	005
Z96 INWARD OPENING WINDOW SERIES	008
V86 INWARD OPENING WINDOW SERIES	011
V96 INWARD OPENING WINDOW SERIES	014
V110 INWARD OPENING WINDOW SERIES	017
V120 INWARD OPENING WINDOW SERIES	020
INWARD TILT & TURN WINDOW SERIES	023

OUTWARD OPENING WINDOW SERIES

JIAJING 110 OUTWARD OPENING WINDOW SERIES	025
V115 OUTWARD OPENING WINDOW SERIES	028
V115 OUTWARD OPENING WINDOW SERIES (STRENGTHEN THE MIDDLE FRAME)	031
DLK-118 OUTWARD OPENING WINDOW SERIES	034
V120 OUTWARD OPENING WINDOW SERIES	037
V120 OUTWARD OPENING WINDOW SERIES (STRENGTHEN THE MIDDLE FRAME)	041
V130 OUTWARD OPENING WINDOW SERIES	043
Z130 OUTWARD OPENING WINDOW SERIES	046
OUTWARD TURN & TILT WINDOW SERIES	049

SLIDING WINDOW SERIES

110 LANDSCAPE SLIDING WINDOW SERIES	051
126 SLIDING WINDOW SERIES	053
120 TRANSLATION LIFT SLIDING WINDOW	057

ELEVATING WINDOW SERIES

DEHUI 120/150 ELECTRIC LIFT WINDOW	059
------------------------------------	-----

FOLDING WINDOW SERIES

UPWARD FOLDING WINDOW SERIES	061
LEFT AND RIGHT FOLDING WINDOW SERIES	063

SKYLIGHT SERIES

SKYLIGHT SERIES	065
-----------------	-----

SLIDING DOOR SERIES

DEJING ULTRA NARROW SLIDING DOOR SERIES	067
DEJIAN ULTRA NARROW SLIDING DOOR SERIES	070
DEXING ULTRA NARROW SLIDING DOOR SERIES	073
DEYUE NARROW SLIDING DOOR SERIES	074
DEZUN NARROW SLIDING DOOR SERIES	077
DEBAO NARROW SLIDING DOOR SERIES	078
DESHENG HEAVY DUTY SLIDING DOOR SERIES	079
DEYUN HEAVY DUTY SLIDING DOOR SERIES	082
DEYI HEAVY DUTY SLIDING DOOR SERIES	085
DEFA HEAVY DUTY SLIDING DOOR SERIES	088
DEHAO HEAVY DUTY SLIDING DOOR SERIES	089
DEWEI HEAVY DUTY SLIDING DOOR SERIES	090
DEBANG HEAVY DUTY SLIDING DOOR SERIES	091
HEAVY DUTY LIFTING DOOR SERIES	092

FOLDING DOOR SERIES

DEJIAN EXTREMELY NARROW FOLDING DOOR SERIES	093
DEYOU 75 HEAVY DUTY FOLDING DOOR SERIES	094

PD DOOR SERIES

PD DOOR SERIES	095
----------------	-----

SWING DOOR SERIES

DEJING EXTREMELY NARROW SWING DOOR SERIES	097
DEJIAN EXTREMELY NARROW SWING DOOR SERIES	100
DEXING EXTREMELY NARROW SWING DOOR SERIES	103
DEEN MEDIUM NARROW SWING DOOR SERIES	104

VINTAGE DOOR & WINDOW SERIES

ARCHED WINDOW SERIES	105
RETRO SLIDING DOOR SERIES	107
RETRO SWING DOOR SERIES	109

SHOWER CUBICLE SERIES

SHOWER CUBICLE SERIES	111
-----------------------	-----

GARAGE DOOR SERIES

GARAGE DOOR SERIES	113
--------------------	-----

SUNROOM SERIES

OVERALL SUNROOM SERIES	115
ALIEN SUNROOM SERIES	117

ACCESSORIES SERIES

	119
--	-----



Z86
Inward Opening Window Series

Enter a picturesque realm of serene living, where the breeze weaves through wind-resistant resilience, whispering tales of strength and elegance, safeguarding your warm home with exceptional performance

Z86
Inward Opening Window Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 2.0	Glass fan: 2.0
Outer frame thickness:	86mm	
Inner fan thickness:	72mm	
Visible width of inner fan:	39mm	
Glass Configuration:	5mm+18A+5mm	
Flyscreen:	Fixed Flyscreen	

Optional Colors



Indoor:			
	Sand gray	Coffee color	Titanium hollow gray
Outdoor:			
	Sand gray	Coffee color	Titanium hollow gray

Z86

Inward Opening Window Series

You'll Deeply Like ■

HARDWARE ACCESSORIES



Z96


Inward Opening Window Series

A delightful window, leisurely watching the changing seasons outside while quietly enjoying the moments inside, showcasing unparalleled charm and grace at the pinnacle of performance

Z96

Inward Opening Window Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.0
Outer frame thickness:	96mm
Inner fan thickness:	72mm
Visible width of inner fan:	39mm
Glass Configuration:	5mm+18A+5mm
Flyscreen:	Inner opening Flyscreen

Optional Colors


Indoor:			
Sand gray	Coffee color	Titanium hollow gray	
Outdoor:			
Sand gray	Coffee color	Titanium hollow gray	

Z96

Inward Opening Window Series

You'll Deeply Like

HARDWARE
ACCESSORIES






V86 Inward Opening Window Series

It absorbs the essence of modern aesthetics, integrates door and window design, and constantly innovates products to make doors and windows more safe, comfortable, safe, ventilated, and beautiful.

V86 Inward Opening Window Series

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.0
Outer frame thickness:	86mm
Inner fan thickness:	86mm
Visible width of inner fan:	60mm
Glass Configuration:	5mm+18A+5mm
Flyscreen:	Without Flyscreen

Optional Colors

Indoor:





Outdoor:



V86
Inward Opening Window Series

You'll Deeply Like ■

**HARDWARE
ACCESSORIES**




V96
Inward Opening Window Series

It is like a loyal companion, quietly guarding our home; Creating infinite artistic possibilities within a limited structure

V96

Inward Opening Window Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.0
Outer frame thickness:	96mm
Inner fan thickness:	96mm
Visible width of inner fan:	60mm
Glass Configuration:	5mm+27A+5mm
Flyscreen:	Without Flyscreen

Optional Colors


Indoor:			
	Sand gray	Coffee color	Titanium hollow gray
Outdoor:			
	Sand gray	Coffee color	Titanium hollow gray

V96

Inward Opening Window Series

You'll Deeply Like

HARDWARE
ACCESSORIES






V110 Inward Opening Window Series

They witness the passage of time and carry the warmth and tranquility of home. The design of the inner opening adds a sense of security to every opening and closing

V110 Inward Opening Window Series

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Outer frame: 2.0	Glass fan: 2.0
Outer frame thickness:	111mm	
Inner fan thickness:	86mm	
Visible width of inner fan:	60mm	
Glass Configuration:	5mm+18A+5mm	
Flyscreen:	Inner opening Flyscreen	

Optional Colors

Indoor:



Outdoor:







V110

Inward Opening Window Series

You'll Deeply Like ■

HARDWARE ACCESSORIES



V120


Inward Opening Window Series

Using high-quality materials and advanced production processes, it has excellent sound and heat insulation performance, ensuring the comfort of home life

V120

Inward Opening Window Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.0
Outer frame thickness:	121mm
Inner fan thickness:	96mm
Visible width of inner fan:	60mm
Glass Configuration:	5mm+27A+5mm
Flyscreen:	Inner opening Flyscreen

Optional Colors


Indoor:			
Sand gray	Coffee color	Titanium hollow gray	
Outdoor:			
Sand gray	Coffee color	Titanium hollow gray	

V120

Inward Opening Window Series

You'll Deeply Like

HARDWARE
ACCESSORIES





INWARD TILT & TURN Window Series

When the window is turned inward, the indoor air can be naturally ventilated. The most important thing is that air enters the room from above or from the side of the window, without directly blowing onto the human body, making it more comfortable.

INWARD TILT & TURN Window Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



JIAJING 110
Outward Opening Window Series

It combines high practicality to reduce family safety concerns, and showcases high-level life enjoyment and cultural connotations.

JIAJING 110
Outward Opening Window Series

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 1.5
Outer frame thickness:	110*30mm
Visible width of external fan:	55mm
Glass Configuration:	5mm+18A+5mm
Flyscreen:	Inner opening Flyscreen

Optional Colors






Indoor:				
	Sand gray	Coffee color	Titanium hollow gray	Starry Sky Black
Outdoor:				
	Sand gray	Coffee color	Titanium hollow gray	Starry Sky Black

JIAJING 110

Outward Opening Window Series

You'll Deeply Like ■

HARDWARE ACCESSORIES



V115


Outward Opening Window Series

Every progress comes from the power of innovation, and every breakthrough creates the ultimate product. Setting aside noise and annoyance, making the living space more desirable.

V115

Outward Opening Window Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 1.8 Glass fan: 1.8
Outer frame thickness:	115mm
Visible width of external fan:	81mm
Glass Configuration:	5mm+18A+5mm
Flyscreen:	Inner opening Flyscreen

Optional Colors



Indoor:				
	Sand gray	Coffee color	Titanium hollow gray	Starry Sky Black
Outdoor:				
	Sand gray	Coffee color	Titanium hollow gray	Starry Sky Black

V115

Outward Opening Window Series

You'll Deeply Like

HARDWARE
ACCESSORIES





V115


Outward Opening Window Series (Strengthen the middle frame)

Open up a bigger view and gaze further into the scenery. Amidst the hustle and bustle, embrace the beauty of spring and autumn, and embrace the scenery of life in all seasons. Only when there is scenery on the balcony can beauty be boundless.

V115

Outward Opening Window Series (Strengthen the middle frame)

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Outer frame: 1.8 Glass fan: 1.8
Outer frame thickness:	115mm
Visible width of external fan:	81mm
Glass Configuration:	5mm+18A+5mm
Flyscreen:	Inner opening Flyscreen

Optional Colors

Indoor:

Sand gray	Coffee color	Titanium hollow gray	Starry Sky Black

Outdoor:

Sand gray	Coffee color	Titanium hollow gray	Starry Sky Black



V115

Outward Opening Window Series (Strengthen the middle frame)

HARDWARE ACCESSORIES



You'll Deeply Like ■



DLK-118

Outward Opening Window Series

Not addicted to the ordinary, nor lost in luxury, let special product design become a beam of light, a seed, nurturing a unique aesthetic of life.

DLK-118

Outward Opening Window Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 3.0 Glass fan: 1.6
Outer frame thickness:	118*30mm
Visible width of external fan:	55mm
Glass Configuration:	5+27A+5mm 5+12A+5+12A+5mm (optional)
Flyscreen:	Inner opening Flyscreen

Optional Colors



Indoor:				
	Sand gray	Coffee color	Titanium hollow gray	Starry Sky Black
Outdoor:				
	Sand gray	Coffee color	Titanium hollow gray	Starry Sky Black

DLK-118

Outward Opening Window Series

You'll Deeply Like

HARDWARE
ACCESSORIES






V120
Outward Opening Window Series

Home is a peaceful abode in life and a haven for the soul. It is worth carefully crafting and designing to create an ideal home life.

V120
Outward Opening Window Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.0
Outer frame thickness:	120mm
Inner fan thickness:	81mm
Visible width of external fan:	60mm
Glass Configuration:	5mm+18A+5mm
Flyscreen:	Inner opening Flyscreen

Optional Colors



Indoor:			
	Sand gray	Coffee color	Titanium hollow gray
Outdoor:			
	Sand gray	Coffee color	Titanium hollow gray

V120

Outward Opening Window Series

You'll Deeply Like ■

HARDWARE ACCESSORIES



V120


Outward Opening Window Series (Strengthen the middle frame)

Using high-quality materials and advanced production processes, it has excellent sound and heat insulation performance, ensuring the comfort of home life.

V120

Outward Opening Window Series (Strengthen the middle frame)

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.0
Outer frame thickness:	120mm
Inner fan thickness:	81mm
Visible width of external fan:	60mm
Glass Configuration:	5mm+18A+5mm
Flyscreen:	Inner opening Flyscreen

Optional Colors

Indoor:



Outdoor:





V120

Outward Opening Window Series (Strengthen the middle frame)

You'll Deeply Like ■

HARDWARE ACCESSORIES






V130 Outward Opening Window Series

Taking minimalism to the extreme,
It is a product that combines minimalist aesthetics with modern materials and decorative
techniques to create a perfect artistic masterpiece.

V130 Outward Opening Window Series

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Outer frame: 3.0 Glass fan: 1.6
Outer frame thickness:	130mm
Inner fan thickness:	81mm
Visible width of external fan:	60mm
Glass Configuration:	5+27A+5mm 5+12A+5+12A+5mm (optional)
Flyscreen:	Inner opening Flyscreen

Optional Colors

Indoor:



Outdoor:





V130

Outward Opening Window Series

You'll Deeply Like ■

HARDWARE ACCESSORIES



Z130


Outward Opening Window Series

Having a good door and window not only brings in the scenery, Integrating scenery with home decor can effectively reduce noise, maintain temperature, and provide warmth in winter and coolness in summer.

Z130

Outward Opening Window Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 1.8 Glass fan: 1.8
Outer frame thickness:	130mm
Inner fan thickness:	81mm
Visible width of external fan:	60mm
Glass Configuration:	5+18A+5mm
Flyscreen:	Inner opening Flyscreen

Optional Colors



Indoor:			
	Sand gray	Coffee color	Titanium hollow gray
Outdoor:			
	Sand gray	Coffee color	Titanium hollow gray

Z130

Outward Opening Window Series

You'll Deeply Like

HARDWARE
ACCESSORIES





OUTWARD TURN & TILT Window Series

The design of the external hanging window is ingenious, and its hanging function allows the room to naturally circulate with the outside air. This not only ensures fresh indoor air, but also effectively prevents rainwater from entering.

OUTWARD TURN & TILT Window Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



110 LANDSCAPE Sliding Window Series

The glass fan and track are designed with a sunken structure, Windproof whistle, better sound insulation effect.

110 LANDSCAPE Sliding Window Series

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.0
Glass Configuration:	5+12A+5mm
Flyscreen:	Activity mesh Flyscreen

Optional Colors

Indoor:



Outdoor:





126 LANDSCAPE Sliding Window Series

The glass fan and track are designed with a sunken structure, Windproof whistle, better sound insulation effect.

126 LANDSCAPE Sliding Window Series

You'll Deeply Like



Product Parameters



Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.0
Outer frame thickness:	Three track:121.8mm
Width of glass fan:	30X30mm
Glass Configuration:	5+12A+5mm
Flyscreen:	Activity mesh Flyscreen

Optional Colors

Indoor:		
	Titanium hollow gray	Coffee color
Outdoor:		
	Titanium hollow gray	Coffee color

126 LANDSCAPE
Sliding Window Series

You'll Deeply Like





120 TRANSLATION
Lift Sliding Window

The glass fan and track are designed with a sunken structure, Windproof whistle, better sound insulation effect.

120 TRANSLATION
Lift Sliding Window

You'll Deeply Like ■




Product Parameters

Wall thickness(mm):	Outer frame: 2.0-2.5 Glass fan: 2.0
Outer frame thickness:	120*45mm
Width of glass fan:	45X45mm
Glass Configuration:	5+12A+5mm
Flyscreen:	Activity mesh Flyscreen

Optional Colors

Indoor:

Titanium hollow gray

Outdoor:

Titanium hollow gray

Handle lock





DEHUI 120/150
Electric Lift Window

It is also equipped with intelligent sensing system, which does not pinch or hurt hands, and gives priority to the concept of safety. Build a noble life with science and technology and quality, and match the new realm of life with style life.

DEHUI 120/150
Electric Lift Window



You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	120 Glass fan: 4.0
	150 Glass fan: 5.0
Glass Configuration:	5+5mm
	5mm+1.14PVB+5mm (optional)

Optional Colors

Indoor:		
		
Sand gray	Coffee color	Titanium hollow gray
Outdoor:		
		
Sand gray	Coffee color	Titanium hollow gray



UPWARD Folding Window Series

Fold the window upwards, allowing the cool breeze and sunlight to pour in. With each fold and pull, unlock a new way of lighting and ventilation.

UPWARD Folding Window Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



LEFT AND RIGHT Folding Window Series

Push and open, panoramic folding window, framing natural beauty into every corner of the home!

LEFT AND RIGHT Folding Window Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



SKYLIGHT Series

As soon as the Skylight opens, the sunshine and mood become bright. Open the Skylight and have an intimate encounter with the blue sky and white clouds!

SKYLIGHT Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



DEJING
Ultra Narrow Sliding door Series

The sliding door adopts aluminum alloy material as the frame and transparent glass as the door leaf.
The design is simple and fashionable, which can add a sense of modernity to the indoor space.

DEJING
Ultra Narrow Sliding door Series


You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Glass fan: 2.0
Outer frame thickness:	Two tracks: 90*20mm Three tracks: 137*20mm
Width of glass fan:	Single glass: 09*35mm Double glass: 18*35mm
Glass Configuration:	8mm / 5+12A+5mm



Optional Colors



DEJING
Ultra Narrow Sliding door Series

You'll Deeply Like ■

**HARDWARE
ACCESSORIES**



DEJIAN
Ultra Narrow Sliding door Series

The extremely narrow design of the door leaf breaks through the visual experience, with a wide field of view and high lighting, giving people a refreshing and pure visual enjoyment.

DEJIAN
Ultra Narrow Sliding door Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Glass fan: 2.0
Outer frame thickness:	Two tracks: 117mm Three tracks: 175.2mm
Width of glass fan:	Single glass: 18*45mm Double glass: 18*45mm
Glass Configuration:	8mm / 5+12A+5mm





Optional Colors



DEJIAN
Ultra Narrow Sliding door Series

You'll Deeply Like

HARDWARE ACCESSORIES



DEXING
Ultra Narrow Sliding door Series

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Glass fan: 2.0
Outer frame thickness:	Two tracks: 117*30mm Three tracks: 172*30mm
Width of glass fan:	18*45mm
Glass Configuration:	8mm

Optional Colors



DEYUE
Narrow Sliding Door Series

We have created a high-grade visual space,It is a central landscape with the essence of refinement, simplicity, elegance and fluency. Based on extremely narrow door leaf design,The image of space and aesthetics is deeply excavated.

DEYUE

Narrow Sliding Door Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 1.4 Glass fan: 3.0
Outer frame thickness:	Two tracks: 88*30mm Three tracks: 135*30mm
Width of glass fan:	60*35mm
Glass Configuration:	5+12A+5mm


Optional Colors

	
Black skin	Moonlight Grey
	
Titanium hollow gray	Champagne Gold

DEYUE

Narrow Sliding Door Series

You'll Deeply Like






Product Parameters

Wall thickness(mm):	Outer frame: 1.4 Glass fan: 3.0
Outer frame thickness:	Two tracks: 88*30mm Three tracks: 135*30mm
Width of glass fan:	45*35mm
Glass Configuration:	5+12A+5mm

Optional Colors



Product Parameters

Wall thickness(mm):	Outer frame: 1.4 Glass fan: 1.4
Outer frame thickness:	Two tracks: 88*30mm Three tracks: 135*30mm
Width of glass fan:	65*35mm
Glass Configuration:	5+12A+5mm

Optional Colors





DESHENG
Heavy Duty Sliding Door Series

Integrating the ideal of appreciating nature and the concept of appreciating life into our home space, making all luxury imagination and ideas a daily enjoyment.

DESHENG
Heavy Duty Sliding Door Series



You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Outer frame: 1.8 Glass fan: 2.8
Outer frame thickness:	Two tracks: 105*30mm Three tracks: 156*30mm
Width of glass fan:	65*40mm
Glass Configuration:	5+12A+5mm



Optional Colors

Indoor:		
	Coffee color	Titanium hollow gray
Outdoor:		
	Coffee color	Titanium hollow gray

DESHENG
Heavy Duty Sliding Door Series

You'll Deeply Like ■

**HARDWARE
ACCESSORIES**



DEYUN
Heavy Duty Sliding Door Series

Redefine the sliding window, combining performance and functionality perfectly, solving all your worries with one window, and interpreting your exquisite life with practicality and fashion.








Product Parameters

Wall thickness(mm):	Outer frame: 1.8 Glass fan: 2.8
Outer frame thickness:	Two tracks: 118*30mm Three tracks: 165.5*30mm
Width of glass fan:	60*48mm
Glass Configuration:	5+12A+5mm

Optional Colors



HARDWARE
ACCESSORIES





DEYI
Heavy Duty Sliding Door Series

With cunning work spirit, rigorous process, on the facade rendering elegant and do not break clever style, create a magnificent visual feast, acme behind space art, originated in immortal legends of aesthetic value.

DEYI
Heavy Duty Sliding Door Series

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Outer frame: 1.8 Glass fan: 2.8
Outer frame thickness:	Two tracks: 98*30mm Three tracks: 145.5*30mm
Width of glass fan:	60*38mm
Glass Configuration:	5+12A+5mm

Optional Colors





DEYI

Heavy Duty Sliding Door Series

You'll Deeply Like

HARDWARE

ACCESSORIES



DEFA

Heavy Duty Sliding Door Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 1.6 Glass fan: 2.0
Outer frame thickness:	Two tracks: 118*35mm Three tracks: 178*35mm
Width of glass fan:	60*45mm
Glass Configuration:	5+12A+5mm

Optional Colors





Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.5
Outer frame thickness:	Two tracks: 117*26mm Three tracks: 182*26mm
Width of glass fan:	76*52mm
Glass Configuration:	5+12A+5mm

Optional Colors



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 4.0
Outer frame thickness:	Two tracks: 135*36mm Three tracks: 205*36mm
Width of glass fan:	70*50mm
Glass Configuration:	5+12A+5mm

Optional Colors



DEBANG

Heavy Duty Sliding Door Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 1.6 Glass fan: 3.0
Outer frame thickness:	Two tracks: 118*35mm Three tracks: 178*35mm
Width of glass fan:	70*45mm
Glass Configuration:	5+12A+5mm

Optional Colors



HEAVY DUTY

Lifting Door Series

You'll Deeply Like



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB

DEJIAN

Extremely Narrow Folding Door Series

You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 1.4 Glass fan: 2.0
Outer frame thickness:	77*48*33mm
Width of glass fan:	18*45mm
Glass Configuration:	5+12A+5mm

Optional Colors



DEYOU 75

Heavy Duty Folding Door Series


You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 2.0 Glass fan: 2.0
Outer frame thickness:	75*56*41mm
Width of glass fan:	68*65mm
Glass Configuration:	5+12A+5mm

Optional Colors





PD Door Series

PD door: Three in one design, flexible and practical. PD door is a new type of multifunctional door that integrates three functions: push-pull, folding and flat opening.

PD Door Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



DEJING
Extremely Narrow Swing Door Series

It absorbs the essence of modern aesthetics, integrates the design of doors and windows, and constantly innovates products to make the windows more safe, comfortable, safe, ventilated, and beautiful.

DEJING
Extremely Narrow Swing Door Series

You'll Deeply Like ■



Product Parameters

Wall thickness(mm):	Glass fan: 2.0
Width of glass fan:	Single glass: 09*35mm Double glass: 18*35mm
Glass Configuration:	8mm / 5+12A+5mm


Optional Colors



DEJING
Extremely Narrow Swing Door Series

You'll Deeply Like ■

**HARDWARE
ACCESSORIES**



DEJIAN
Extremely Narrow Swing Door Series

It absorbs the essence of modern aesthetics, integrates the design of doors and windows, and constantly innovates products to make the windows more safe, comfortable, safe, ventilated, and beautiful.

DEJIAN

Extremely Narrow Swing Door Series


You'll Deeply Like



Product Parameters

Wall thickness(mm):	Glass fan: 1.8
Width of glass fan:	Single glass: 18*45mm Double glass: 18*45mm
Glass Configuration:	8mm / 5+12A+5mm

Optional Colors




DEJIAN

Extremely Narrow Swing Door Series

You'll Deeply Like

HARDWARE
ACCESSORIES



DEXING

Extremely Narrow Swing Door Series



You'll Deeply Like



Product Parameters

Wall thickness(mm):	Glass fan: 2.0
Width of glass fan:	18*45mm
Glass Configuration:	8mm

Optional Colors

	
Black skin	Titanium hollow gray
	
Moonlight Grey	

DEEN

Medium Narrow Swing Door Series



You'll Deeply Like



Product Parameters

Wall thickness(mm):	Outer frame: 1.4 Glass fan: 1.4
Outer frame thickness:	single pack:60*59mm double pack:60*65mm
Width of glass fan:	60*40mm
Glass Configuration:	5+12A+5mm

Optional Colors

	
Black skin	Titanium hollow gray
	
Moonlight Grey	Champagne Gold



ARCHED Window Series

French doors and windows outline the luxury and elegance of the French court with symmetrical layout and exquisite carving. Changhong glass cleverly divides the light, and mottled light and shadow make the space lively and radiant.

ARCHED Window Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



RETRO Sliding Door Series

French style sliding doors, with elegant lines and exquisite craftsmanship, embody the perfect fusion of romance and classic.

RETRO Sliding Door Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



RETRO Swing Door Series

The category that combines French romantic style with retro design elements, with its unique shape, elegant lines, and exquisite detail processing, has become a popular choice in modern home and commercial space decoration.

RETRO Swing Door Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



SHOWER Cubicle Series

Between a transparent glass partition, water flows gently over the skin, ushering in the most relaxing moment of the day!

SHOWER Cubicle Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



GARAGE Door Series

Safe operation: Infrared induction anti pinch, rebound in case of obstruction, voltage stability protection (220V), ensuring zero risk of use

GARAGE Door Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



OVERALL Sunroom Series

Bring home the bright sunshine and warm beauty, the charm of a sunroom is unmatched!

OVERALL Sunroom Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76



U Range:
3.5-5.5



Sound Insulation:
<29dB



ALIEN Sunroom Series

The design of the sunroom is full of creativity and imagination, providing us with a very special space to relax and enjoy life.

ALIEN Sunroom Series

You'll Deeply Like ■



Design SLS:
400Pa



ULS:
600Pa



Water Resistance:
150Pa



SHGC Range:
0.45-0.76




U Range:
3.5-5.5




Sound Insulation:
<29dB

MUTE SET SERIES





35 series



30 series



EXTERIOR WINDOW TRIM SERIES




GLASS SELECTION

Double Glazed Glass

Advantages:

Thermal Insulation > 9mm argon-filled gap reduces heat transfer by 40% vs single glass,meet
 Australian energy rating standards.Noise Reduction 35dB+ sound insulation, ideal for urban areas near airports/highways.
 Condensation Control <-20℃ dew point tolerance, prevents fogging in coastal climates.



Laminated Glass

Advantages:

Safety Protection PVB interlayer holds glass fragments when broken, Uv Blocking >99% Uv radiation filtration, protects interior furnishings from fading. High Performance Impact Resistance.



COLOR SELECTION

Window color options:



Door color options:




EDGE BINDING STYLE



SLIDING DOOR EDGING:



SWING DOOR EDGING:



SLIDING DOOR TRACK STYLE



WINDOW ACCESSORIES

Window handle:



Window hardware:



External sliding hidden hinge



Heavy duty hidden hinge



Yarn fan hinge



Lock point lock seat



Pin lock seat



Lock box

DOOR HANDLE

Sliding door hardware:



Lift the door hardware:



Folding door hardware:



Ultra-narrow sliding door door hardware:



swing door hardware:



swing door hardware:

