



EPICO
trend & modern

STÖCKL
PARKETT

FIRST STEP FOR LIVING

www.stoeckl.com

DATA SHEET:



Epico trend 240

Dimension	2400 * 240 * 9,5 mm small proportion of partial lengths allowed
Top layer	approx. 3 mm
Sublayer	HDF 900kg/m ³ Emissionclass E1
Weight	approx. 7,6 kg/m ²
Surface	Oil, matt lacquer forte & various colours
Slip-resistance	lacquer R10, oil R10, oil brushed R11
Profile	Tongue/groove V4
Installation	Full-surface bonding
Glueing	PVAc-adhesive, D3 according to DIN EN 204
Underfloorheating	Suitable for hot water underfloor heating
Thermal resitance	0,0504 m ² K/W
Fire class	Cfl-S1
Certification	PEFC, ISO 14001, ISO 38200, eco-Institut, CE
Origin wood (oak)	Europe
Production	Austria
Cleaning and maintenance	According to STÖCKL cleaning and maintenance instructions

GRADING CHARACTERISTICS

style	charakter	Colourline style	Colourline
Calm & elegant grading with low knot content and only small knots	Lively grading with a modern and rustic look	Calm and elegant grading with low knot content and only small knots	Mixed grading of style and character, reflecting the full range of grading characteristics
Oak is sapwood-free, Nut may contain some sapwood	Natural colour differences in various forms	The surface is colour treated	The surface is colour treated



EPICO trend 240

Oak style

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

EPICO trend 240

Oak karakter



Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 240

Smoked oak karakter

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

EPICO trend 240 Colourline

Oak diamant

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 240 Colourline

Oak saphir

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 240 Colourline

Oak bernstein

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

DATA SHEET:



	EPICO trend 190	EPICO trend 183 Click
Dimension	2100 * 190 * 9,5 mm small proportion of partial lengths allowed	2100 * 183 * 10 mm small proportion of partial lengths allowed
Top layer	approx. 3 mm	approx. 3 mm
Sub layer	HDF 900kg/m ³ Emission class E1	birch veneer, HDF 900kg/m ³ Emission class E1
Weight	approx. 7,6 kg/m ²	approx. 8 kg/m ²
Surface	Oil, matt lacquer forte, Pure & various colours	Oil, matt lacquer forte, Pure & various colours
Slip resistance	Matt lacquer forte R10, oil R10, oil bushed R11	Matt lacquer forte R10, oil R10, oil bushed R11
Adhesive	PVAc-adhesive, D3 according to DIN EN 204	PVAc-adhesive, D3 according to DIN EN 204
Profile	Tongue/groove V4	Click 2G [®] /5G [®] , micro bevel
Installation	Full surface bonding	Floating or full surface bonding
Underfloor heating	Suitable for underfloor heating	Suitable for underfloor heating
Thermal resistance	0,0504 m ² K/W	0,0504 m ² K/W
Fire class	Cfl-S1	Cfl-S1
Sustainability & certificate	PEFC, ISO 14001, ISO 38200, eco-Institut, CE	PEFC, ISO 14001, ISO 38200, eco-Institut, CE
Origin wood (oak)	Europe	Europe
Production	Austria	Austria
Cleaning and maintenance	According to STÖCKL cleaning and maintenance instructions	According to STÖCKL cleaning and maintenance instructions

GRADING CHARACTERISTICS

style	charakter	Colourline style	Colourline
Calm & elegant grading with low knot content and only small knots	Lively grading with a modern and rustic look	Calm and elegant grading with low knot content and only small knots	Mixed grading of style and character, reflecting the full range of grading characteristics
Oak is sapwood-free, Nut may contain some sapwood	Natural colour differences in various forms	The surface is colour treated	The surface is colour treated



EPICO trend 190
Oak style

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 190 / 183 Click
Oak karakter

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



STÖCKL
PARKETT

EPICO trend 190

Oak ambiente

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



STÖCKL
PARKETT

EPICO trend 190

Oak broncé

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

STÖCKL
PARKETT

EPICO trend 190

Smoked oak karakter

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

EPICO trend 190

Am. walnut karakter

STÖCKL
PARKETT

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 190 Colourline

Oak calcit

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

EPICO trend 190 / 183 Click Colourline

Oak diamant



Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 190 / 183 Click Colourline

Oak saphir

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

EPICO trend 190 Colourline

Oak kristall



Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 190 / 183 Click Colourline

Oak bernstein

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



Special surfaces

rough sawn | chopped | planed | aged



EPICO trend 190

Oak rough sawn

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 190

Oak planed

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 190

Oak chopped

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 190 Colourline

Oak aged achat

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

DATA SHEET:



EPICO trend 140

Dimension	1400 * 140 * 9,5 / 12,5 mm small proportion of partial lengths allowed
Top layer	approx. 3 / 6 mm
Sublayer	HDF 900kg/m ³ Emissionclass E1
Weight	approx. 7,6 / 10,6 kg/m ²
Surface	Oil, matt lacquer forte & various colours
Slip-resistance	lacquer R10, oil R10, oil brushed R11
Profile	Tongue/groove V4
Installation	Full surface bonding
Glueing	PVAc-adhesive, D3 according to DIN EN 204
Underfloorheating	Suitable for hot water underfloor heating
Thermal resitance	0,0504 / 0,0671 m ² K/W
Fire class	Cfl-S1
Certification	PEFC, ISO 14001, ISO 38200, eco-Institut, CE
Origin wood (oak)	Europe
Production	Austria
Cleaning and maintenance	According to STÖCKL cleaning and maintenance instructions

GRADING CHARACTERISTICS

style	charakter	Colourline style	Colourline
Calm & elegant grading with low knot content and only small knots	Lively grading with a modern and rustic look	Calm and elegant grading with low knot content and only small knots	Mixed grading of style and character, reflecting the full range of grading characteristics
Oak is sapwood-free, Nut may contain some sapwood	Natural colour differences in various forms	The surface is colour treated	The surface is colour treated



EPICO trend 140

Oak style

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

EPICO trend 140

Oak karakter



Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 140

Oak ambiente

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 140

Smoked oak karakter

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 140

Am. walnut style

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 140 Colourline

Oak calcit



Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 140 Colourline

Oak diamant

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 140 Colourline

Oak saphir

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO trend 140 Colourline

Oak kristall

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

EPICO trend 140 Colourline

Oak bernstein



Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.

EPICO MODERN 140

DATA SHEET:

EPICO modern 140

Dimension	690 * 140 * 9,5 mm
Top layer	approx. 3 mm
Sublayer	HDF 900kg/m ³ Emissionclass E1
Weight	approx. 7,6 kg/m ²
Surface	Sanded or brushed, oil, matt lacquer forte, pure & various colours
Slip-resistance	lacquer R10, oil R10, brushed R11
Profile	Tongue/groove V4
Installation	Full-surface bonding
Glue	PVAc-adhesive, D3 according to DIN EN 204
Underfloorheating	Suitable for hot water underfloor heating
Thermal resitance	0,0504 m ² K/W
Fire class	Cfl-S1
Certification	PEFC, ISO 14001, ISO 38200, eco-Institut, CE
Origin wood (oak)	Europe
Production	Austria
Cleaning and maintenance	According to STÖCKL cleaning and maintenance instructions



GRADING CHARACTERISTICS

style	charakter	Colourline style	Colourline
Calm & elegant grading with low knot content and only small knots	Lively grading with a modern and rustic look	Calm and elegant grading with low knot content and only small knots	Mixed grading of style and character, reflecting the full range of grading characteristics
Oak is sapwood-free, Nut may contain some sapwood	Natural colour differences in various forms	The surface is colour treated	The surface is colour treated



STÖCKL
PARKETT

EPICO modern 140
Oak style

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO modern 140
Oak karakter

STÖCKL
PARKETT

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



STÖCKL
PARKETT

EPICO modern 140
Oak calcit


Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO modern 140
Oak diamant

STÖCKL
PARKETT

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO modern 140 Colourline

Oak saphir

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



EPICO modern 140 Colourline

Oak kristall



Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



STÖCKL
PARKETT

EPICO modern 140 Colourline
Oak bernstein

Wood is a natural product. Deviations in colour and structure may occur.
A wood sample can therefore not convey the overall impression of a laid surface.



Foto: Mark Sengstbratl



www.stoeckl.com

STÖCKL GESMBH | Heide, 25. Straße 1 | A-3331 Kematen/Ybbs

T: +43/(0)7448/2178 | F: +43/(0)7448/2178-30 | office@stoeckl.com